DayLight

Brilliant

ARTO

METAL/PLASTIC
HIGH-GRADE STEEL

Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	60W
Lumen	
Kelvin	

Dimensions

Height	270 mm
Width	240 mm
Length	280 mm
Diameter	
Weight	0.912 kg

Technical Data

IP Code	IP44
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Packaging Dimensions

Packaging unit: 1	
Height	275 mm
Width	280 mm
Length	255 mm
Weight	1.298 kg

IP 44

Article-no.: **96129/82**

490,-

4 004353 110207

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

CAROSU

PLASTIC
BLACK

Bulb Information

Model	Outdoor spike LED
Type of Lamp	
Socket	
Power	8,5W
Lumen	660lm
Kelvin	3000-6500K

Technical Data

IP Code	IP44
Protection class	II
Voltage	220-240V
Energy Efficiency Class	F
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	Yes

LED ✓ | IP 44 | 3 | Powered By tuya Intelligence Inside | CCT | RGB | Bluetooth

Dimensions

Height	388 mm
Width	
Length	
Diameter	76 mm
Weight	0.954 kg

Packaging Dimensions

Packaging unit: 4	
Height	180 mm
Width	290 mm
Length	165 mm
Weight	1.256 kg

Article-no.: **G40910/06**

499,-

4 004353 453700

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

DETROIT

METAL/PLASTIC
BLACK MATT

Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	20W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

IP 44

Dimensions

Height	302 mm
Width	224 mm
Length	198 mm
Diameter	
Weight	0.868 kg

Packaging Dimensions

Packaging unit: 1	
Height	215 mm
Width	240 mm
Length	315 mm
Weight	1.144 kg

Article-no.: **96462/76**

459,-

4 004353 403217

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

DETROIT

METAL/PLASTIC
BLACK MATT



Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	20W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	316 mm
Width	225 mm
Length	198 mm
Diameter	
Weight	0.877 kg

Packaging Dimensions

Packaging unit: 1	
Height	330 mm
Width	240 mm
Length	210 mm
Weight	1.14 kg

Article-no.: **96463/76**

599,-

4 004353 403224

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

DETROIT

METAL/PLASTIC
BLACK MATT

Bulb Information

Model	Outdoor pedestal light 1-flame
Type of Lamp	A60
Socket	E27
Power	20W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

IP 44

Dimensions

Height	400 mm
Width	
Length	
Diameter	198 mm
Weight	0.859 kg

Packaging Dimensions

Packaging unit: 1	
Height	420 mm
Width	210 mm
Length	210 mm
Weight	1.17 kg

Article-no.: **96464/76**

499,-

4 004353 403231

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

GAIA

METAL/GLASS
BLACK

Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	60W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	I
Voltage	230V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

IP 44

Dimensions

Height	355 mm
Width	150 mm
Length	225 mm
Diameter	
Weight	2.516 kg

Packaging Dimensions

Packaging unit: 1	
Height	360 mm
Width	230 mm
Length	165 mm
Weight	2.643 kg

Article-no.: **44482/06**

349,-

4 004353 232220

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

GALENI

METAL/GLASS
BLACK/NATURAL

Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	QPAR51
Socket	GU10
Power	20W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

IP 44

Dimensions

Height	100 mm
Width	65 mm
Length	90 mm
Diameter	
Weight	0.517 kg

Packaging Dimensions

Packaging unit: 1	
Height	120 mm
Width	150 mm
Length	150 mm
Weight	0.672 kg

Article-no.: **96375/76**

259,-

4 004353 363481

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

ISEO

PLASTIC
BEIGE

Bulb Information

Model	Outdoor wall light LED
Type of Lamp	
Socket	
Power	4W
Lumen	300lm
Kelvin	3000K

Technical Data

IP Code	IP44
Protection class	III
Voltage	5V
Energy Efficiency Class	G
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	No

LED

IP 44

USB-C

Dimensions

Height	80 mm
Width	103 mm
Length	101 mm
Diameter	
Weight	0.424 kg

Packaging Dimensions

Packaging unit: 1	
Height	100 mm
Width	120 mm
Length	115 mm
Weight	0.465 kg

Article-no.: **G80126/09**

199,-

4 004353 435584

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

MACOBO

STAINLESS STEEL/ACRYLIC
BLACK MATT

Bulb Information

Model	Outdoor floor light LED
Type of Lamp	
Socket	
Power	3,4W
Lumen	340lm
Kelvin	3000K

Technical Data

IP Code	IP54
Protection class	III
Voltage	5V
Energy Efficiency Class	F
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	Yes

LED ✓

Dimensions

Height	1,250 mm
Width	
Length	
Diameter	200 mm
Weight	1.357 kg

Packaging Dimensions

Packaging unit: 1	
Height	135 mm
Width	370 mm
Length	210 mm
Weight	1.643 kg

Article-no.: **G40445/76**

299,-

4 004353 440205

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

OSKAR

METAL/PLASTIC
RUST

Bulb Information

Model	Outdoor pedestal light 1-flame
Type of Lamp	LED
Socket	E27
Power	20W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	I
Voltage	230V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

IP 44

Dimensions

Height	510 mm
Width	
Length	
Diameter	120 mm
Weight	0.918 kg

Packaging Dimensions

Packaging unit: 1	
Height	530 mm
Width	125 mm
Length	125 mm
Weight	0.915 kg

Article-no.: **46884/55**

299,-

4 004353 147890

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

PORTLAND

METAL/GLASS
BLACK

Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	60W
Lumen	
Kelvin	

Dimensions

Height	290 mm
Width	240 mm
Length	250 mm
Diameter	
Weight	0.932 kg

Technical Data

IP Code	IP44
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Packaging Dimensions

Packaging unit: 1	
Height	200 mm
Width	250 mm
Length	275 mm
Weight	1.061 kg

IP 44

Article-no.: **96297/06**

359,-

4 004353 256189

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

PORTLAND

METAL/GLASS
RUST

Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	60W
Lumen	
Kelvin	

Dimensions

Height	290 mm
Width	240 mm
Length	250 mm
Diameter	
Weight	0.949 kg

Technical Data

IP Code	IP44
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Packaging Dimensions

Packaging unit: 1	
Height	280 mm
Width	255 mm
Length	205 mm
Weight	1.055 kg

IP 44

Article-no.: **96297/55**

359,-

4 004353 256196

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

REED

METAL/PLASTIC
BLACK MATT

Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

IP 44

Dimensions

Height	236 mm
Width	182 mm
Length	105 mm
Diameter	
Weight	0.98 kg

Packaging Dimensions

Packaging unit: 1	
Height	250 mm
Width	190 mm
Length	115 mm
Weight	1.066 kg

Article-no.: **44680/63**

199,-

4 004353 256127

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

TYLER

METAL/GLASS
TITANIUM

Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	60W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	70 mm
Width	170 mm
Length	190 mm
Diameter	
Weight	0.826 kg

Packaging Dimensions

Packaging unit: 1	
Height	80 mm
Width	185 mm
Length	205 mm
Weight	0.916 kg

Article-no.: **96104/11**

229,-

4 004353 078682

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

TODD

METAL/PLASTIC
WHITE

Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	60W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	II
Voltage	230V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

IP 44

Dimensions

Height	290 mm
Width	230 mm
Length	90 mm
Diameter	
Weight	0.676 kg

Packaging Dimensions

Packaging unit: 1	
Height	115 mm
Width	245 mm
Length	300 mm
Weight	0.766 kg

Article-no.: **47682/05**

199,-

4 004353 121302

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

TODD

METAL/PLASTIC
WHITE

Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	60W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	II
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	290 mm
Width	230 mm
Length	90 mm
Diameter	
Weight	0.718 kg

Packaging Dimensions

Packaging unit: 1	
Height	310 mm
Width	255 mm
Length	115 mm
Weight	0.824 kg

Article-no.: **47698/05**

299,-

4 004353 121388

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

VENLO

STAINLESS STEEL/PLASTIC
BLACK MATT

Bulb Information

Model	Outdoor wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	327 mm
Width	
Length	162 mm
Diameter	127 mm
Weight	0.972 kg

Packaging Dimensions

Packaging unit: 1	
Height	375 mm
Width	210 mm
Length	180 mm
Weight	1.337 kg

Article-no.: **96424/76**

499,-

4 004353 386428

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

ARO

PLASTIC
BLACK

Bulb Information

Model	Outdoor table lamp LED
Type of Lamp	
Socket	
Power	1W
Lumen	140lm
Kelvin	3000K

Technical Data

IP Code	IP44
Protection class	III
Voltage	5V
Energy Efficiency Class	E
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	Yes

LED ✓ IP 44 RGB USB-C

Dimensions

Height	116 mm
Width	
Length	
Diameter	92 mm
Weight	0.2 kg

Packaging Dimensions

Packaging unit: 6	
Height	105 mm
Width	105 mm
Length	130 mm
Weight	0.27 kg

Article-no.: **G40955/06**

149,-

4 004353 450013

KONTAKT: Bc. Květoslava Dušková, k.duskova@osvetleni-daylight.cz, tel.: 605 280 935

DayLight

Brilliant

KAAMI

METAL/PLASTIC
GREY MATT

Bulb Information

Model	Outdoor table lamp LED
Type of Lamp	
Socket	
Power	2W
Lumen	310lm
Kelvin	3000K

Technical Data

IP Code	IP44
Protection class	III
Voltage	5V
Energy Efficiency Class	D
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	Yes



Dimensions

Height	370 mm
Width	
Length	
Diameter	100 mm
Weight	0.669 kg

Packaging Dimensions

Packaging unit: 1	
Height	125 mm
Width	125 mm
Length	112 mm
Weight	0.731 kg

Article-no.: **G90939/22**

199,-

4 004353 428234

KONTAKT: Bc. Květoslava Dušková, k.duskova@osvetleni-daylight.cz, tel.: 605 280 935

DayLight

Brilliant

KAAMI

METAL/PLASTIC
NORDIC BLUE MATT

Bulb Information

Model	Outdoor table lamp LED
Type of Lamp	
Socket	
Power	2W
Lumen	310lm
Kelvin	3000K

Technical Data

IP Code	IP44
Protection class	III
Voltage	5V
Energy Efficiency Class	D
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	Yes

Dimensions

Height	370 mm
Width	
Length	
Diameter	100 mm
Weight	0.669 kg

Packaging Dimensions

Packaging unit: 1	
Height	125 mm
Width	125 mm
Length	112 mm
Weight	0.731 kg



Article-no.: **G90939/04**

199,-

4 004353 428241

KONTAKT: Bc. Květoslava Dušková, k.duskova@osvetleni-daylight.cz, tel.: 605 280 935

DayLight

Brilliant

KAAMI

METAL/PLASTIC
ORANGE MATT

Bulb Information

Model	Outdoor table lamp LED
Type of Lamp	
Socket	
Power	2W
Lumen	310lm
Kelvin	3000K

Technical Data

IP Code	IP44
Protection class	III
Voltage	5V
Energy Efficiency Class	D
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	Yes

Dimensions

Height	370 mm
Width	
Length	
Diameter	100 mm
Weight	0.53 kg

Packaging Dimensions

Packaging unit: 1	
Height	140 mm
Width	130 mm
Length	130 mm
Weight	0.738 kg



Article-no.: **G90939/77**

199,-

4 004353 428258

KONTAKT: Bc. Květoslava Dušková, k.duskova@osvetleni-daylight.cz, tel.: 605 280 935

DayLight

Brilliant

MATTIS

METAL/PLASTIC
GREY/WHITE

Bulb Information

Model	Outdoor table lamp LED
Type of Lamp	
Socket	
Power	2,5W
Lumen	240lm
Kelvin	2700K

Technical Data

IP Code	IP44
Protection class	III
Voltage	5V
Energy Efficiency Class	F
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	Yes

LED ✓ IP 44 3 3

Dimensions

Height	210 mm
Width	
Length	
Diameter	150 mm
Weight	0.464 kg

Packaging Dimensions

Packaging unit: 1	
Height	235 mm
Width	160 mm
Length	160 mm
Weight	0.635 kg

Article-no.: **G60305/22**

179,-

4 004353 464553

KONTAKT: Bc. Květoslava Dušková, k.duskova@osvetleni-daylight.cz, tel.: 605 280 935

DayLight

Brilliant

MUFFIN

METAL
BLACK MATT

Bulb Information

Model	Outdoor table lamp LED
Type of Lamp	
Socket	
Power	3W
Lumen	400lm
Kelvin	3000K

Technical Data

IP Code	IP44
Protection class	III
Voltage	5V
Energy Efficiency Class	E
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	Yes

LED ✓ IP 44 3 3 USB-C

Dimensions

Height	185 mm
Width	
Length	
Diameter	140 mm
Weight	0.55 kg

Packaging Dimensions

Packaging unit: 1	
Height	150 mm
Width	150 mm
Length	195 mm
Weight	0.669 kg

Article-no.: **G40895/76**

299,-

4 004353 448973

KONTAKT: Bc. Květoslava Dušková, k.duskova@osvetleni-daylight.cz, tel.: 605 280 935

DayLight

Brilliant

MUFFIN

METAL
BEIGE

Bulb Information

Model	Outdoor table lamp LED
Type of Lamp	
Socket	
Power	3W
Lumen	400lm
Kelvin	3000K

Technical Data

IP Code	IP44
Protection class	III
Voltage	5V
Energy Efficiency Class	E
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	Yes

LED ✓ | IP 44 | 3 | 3 | USB-C

Dimensions

Height	185 mm
Width	
Length	
Diameter	140 mm
Weight	0.55 kg

Packaging Dimensions

Packaging unit: 1	
Height	150 mm
Width	150 mm
Length	195 mm
Weight	0.669 kg

Article-no.: **G40895/09**

299,-

4 004353 448997

KONTAKT: Bc. Květoslava Dušková, k.duskova@osvetleni-daylight.cz, tel.: 605 280 935

DayLight

Brilliant

NAVABI

PLASTIC
WHITE

Bulb Information

Model	Outdoor table lamp LED
Type of Lamp	
Socket	
Power	1,5W
Lumen	130lm
Kelvin	3000K

Technical Data

IP Code	IP44
Protection class	III
Voltage	5V
Energy Efficiency Class	F
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	Yes

LED ✓ IP 44 3 3 USB-C

Dimensions

Height	179 mm
Width	
Length	
Diameter	95 mm
Weight	0.2 kg

Packaging Dimensions

Packaging unit: 1	
Height	105 mm
Width	105 mm
Length	205 mm
Weight	0.328 kg

Article-no.: **G40896/05**

139,-

4 004353 449000

KONTAKT: Bc. Květoslava Dušková, k.duskova@osvetleni-daylight.cz, tel.: 605 280 935

DayLight

Brilliant

NAVABI

PLASTIC
GREEN

Bulb Information

Model	Outdoor table lamp LED
Type of Lamp	
Socket	
Power	1,5W
Lumen	130lm
Kelvin	3000K

Technical Data

IP Code	IP44
Protection class	III
Voltage	5V
Energy Efficiency Class	F
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	Yes

LED ✓ IP 44 3 3 USB-C

Dimensions

Height	179 mm
Width	
Length	
Diameter	95 mm
Weight	0.2 kg

Packaging Dimensions

Packaging unit: 1	
Height	105 mm
Width	105 mm
Length	205 mm
Weight	0.328 kg

Article-no.: **G40896/04**

139,-

4 004353 449017

KONTAKT: Bc. Květoslava Dušková, k.duskova@osvetleni-daylight.cz, tel.: 605 280 935

DayLight

Brilliant

FANO

METAL/PLASTIC
WHITE CORRUND

Bulb Information

Model	Ceiling light LED
Type of Lamp	
Socket	
Power	12W
Lumen	1300lm
Kelvin	1800-3000K

Technical Data

IP Code	IP44
Protection class	II
Voltage	220-240V
Energy Efficiency Class	E
Bulbs included	Yes
Bulbs exchangeable	No
Dimmable	No

LED

IP 44

Dimensions

Height	40 mm
Width	
Length	
Diameter	250 mm
Weight	0.905 kg

Packaging Dimensions

Packaging unit: 1	
Height	285 mm
Width	285 mm
Length	50 mm
Weight	1.09 kg

Article-no.: **G99225A75**

354,-

5 414628 100052

KONTAKT: Bc. Květoslava Dušková, k.duskova@osvetleni-daylight.cz, tel.: 605 280 935

DayLight

Brilliant

RIKURI

GLASS/METAL
WHITE

Bulb Information

Model	Ceiling light 1-flame
Type of Lamp	D45
Socket	E27
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP44
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	80 mm
Width	200 mm
Length	200 mm
Diameter	
Weight	0.852 kg

Packaging Dimensions

Packaging unit: 1	
Height	220 mm
Width	220 mm
Length	100 mm
Weight	1.05 kg

Article-no.: **96949A05**

245,-

5 400107 753611

KONTAKT: Bc. Květoslava Dušková, k.duskova@osvetleni-daylight.cz, tel.: 605 280 935