DayLight

Brilliant

DAINTREE

METAL/WOOD
BLACK/NATURAL

Bulb Information

Model	Wall light 1-flame
Type of Lamp	D45
Socket	E14
Power	28W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

FSC

Dimensions

Height	140 mm
Width	70 mm
Length	161 mm
Diameter	
Weight	0.256 kg

Packaging Dimensions

Packaging unit: 1	
Height	140 mm
Width	120 mm
Length	80 mm
Weight	0.325 kg

Article-no.: **99710/76**

199,-

4 004353 408663

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

DECCA

METAL/WOOD
BLACK STEEL/WOOD

Bulb Information

Model	Wall light 1-flame
Type of Lamp	LED
Socket	E27
Power	10W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	II
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

FSC

Dimensions

Height	170 mm
Width	240 mm
Length	250 mm
Diameter	
Weight	0.807 kg

Packaging Dimensions

Packaging unit: 1	
Height	235 mm
Width	220 mm
Length	265 mm
Weight	1.15 kg



Article-no.: **85810/46**

max. Qty: **289 piece**

499,-

4 004353 361432

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

DECCA

METAL/WOOD
BLACK STEEL/WOOD

Bulb Information

Model	Beams 2-flame
Type of Lamp	LED
Socket	E27
Power	10W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	II
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

FSC

Dimensions

Height	170 mm
Width	400 mm
Length	240 mm
Diameter	
Weight	1.446 kg

Packaging Dimensions

Packaging unit: 1	
Height	240 mm
Width	425 mm
Length	220 mm
Weight	1.864 kg



Article-no.: **85829/46**

699,-

4 004353 361449

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

DORISA

METAL/WOOD
BLACK STEEL/NATURAL WOOD

Bulb Information

Model	Wall light 1-flame
Type of Lamp	LED
Socket	GU10
Power	5W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	II
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

FSC

Dimensions

Height	110 mm
Width	95 mm
Length	130 mm
Diameter	
Weight	0.259 kg

Packaging Dimensions

Packaging unit: 1	
Height	100 mm
Width	135 mm
Length	145 mm
Weight	0.4 kg



Article-no.: **85610/46**

299,-

4 004353 361401

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

DORISA

METAL/WOOD
BLACK STEEL/NATURAL WOOD

Bulb Information

Model	Plate 2-flame
Type of Lamp	LED
Socket	GU10
Power	5W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	II
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

FSC

Dimensions

Height	130 mm
Width	160 mm
Length	230 mm
Diameter	
Weight	0.592 kg

Packaging Dimensions

Packaging unit: 1	
Height	145 mm
Width	250 mm
Length	190 mm
Weight	0.873 kg



Article-no.: **85624/46**

519,-

4 004353 361418

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

DORISA

METAL/WOOD
BLACK STEEL/NATURAL WOOD

Bulb Information

Model	Plate 3-flame
Type of Lamp	LED
Socket	GU10
Power	5W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	II
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

FSC

Dimensions

Height	130 mm
Width	
Length	
Diameter	280 mm
Weight	0.948 kg

Packaging Dimensions

Packaging unit: 1	
Height	160 mm
Width	275 mm
Length	280 mm
Weight	1.331 kg



Article-no.: **85634/46**

max. Qty: **71 piece**

699,-

4 004353 361425

DayLight

Brilliant

FLAKA

METAL/CORK
BLACK MATT

Bulb Information

Model	Wall light 1-flame
Type of Lamp	LED
Socket	G9
Power	6W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	140 mm
Width	80 mm
Length	115 mm
Diameter	
Weight	0.19 kg

Packaging Dimensions

Packaging unit: 1	
Height	130 mm
Width	110 mm
Length	95 mm
Weight	0.267 kg

Article-no.: **82610/06**

129,-

4 004353 351563

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

GALANCE

WOOD/TEXTILE
WOOD LIGHT/WHITE

Bulb Information

Model	Wall light 1-flame
Type of Lamp	A60
Socket	E27
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	II
Voltage	230V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

FSC

Dimensions

Height	240 mm
Width	130 mm
Length	230 mm
Diameter	
Weight	0.284 kg

Packaging Dimensions

Packaging unit: 1	
Height	175 mm
Width	150 mm
Length	150 mm
Weight	0.416 kg

Article-no.: **86710/75**

299,-

4 004353 376351

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

IRMINIO

METAL
BLACK

Bulb Information

Model	Ceiling light 4-flame
Type of Lamp	
Socket	GU10
Power	5W
Lumen	350lm
Kelvin	3000K

Technical Data

IP Code	IP44
Protection class	II
Voltage	220-240V
Energy Efficiency Class	G
Bulbs included	Yes
Bulbs exchangeable	Yes
Dimmable	No

LED

IP 44

Dimensions

Height	140 mm
Width	220 mm
Length	220 mm
Diameter	
Weight	1.397 kg

Packaging Dimensions

Packaging unit: 1	
Height	235 mm
Width	235 mm
Length	130 mm
Weight	1.571 kg

Article-no.: **G99241A06**

399,-

5 414628 146258

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

KAMOLO

METAL
BLACK MATT

Bulb Information

Model	Beams 2-flame
Type of Lamp	A60
Socket	E27
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	285 mm
Width	350 mm
Length	100 mm
Diameter	
Weight	0.706 kg

Packaging Dimensions

Packaging unit: 1	
Height	355 mm
Width	200 mm
Length	110 mm
Weight	0.86 kg

Article-no.: **99724/76**

279,-

4 004353 409400

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

KAMOLO

METAL
BLACK MATT

Bulb Information

Model	Plate 3-flame
Type of Lamp	A60
Socket	E27
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	260 mm
Width	
Length	
Diameter	305 mm
Weight	1.254 kg

Packaging Dimensions

Packaging unit: 1	
Height	290 mm
Width	285 mm
Length	155 mm
Weight	1.451 kg

Article-no.: **99725/76**

359,-

4 004353 409417

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

KAMOLO

METAL
BLACK MATT

Bulb Information

Model	Beams 4-flame
Type of Lamp	A60
Socket	E27
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	250 mm
Width	1,080 mm
Length	100 mm
Diameter	
Weight	1.347 kg

Packaging Dimensions

Packaging unit: 1	
Height	195 mm
Width	510 mm
Length	145 mm
Weight	1.593 kg

Article-no.: **99726/76**

499,-

4 004353 409431

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

MARTY

ALUMINIUM
SAND BLACK

Bulb Information

Model	Ceiling light 4-flame
Type of Lamp	
Socket	GU10
Power	5W
Lumen	350lm
Kelvin	3000K

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	G
Bulbs included	Yes
Bulbs exchangeable	Yes
Dimmable	No

LED✓

Dimensions

Height	121 mm
Width	220 mm
Length	220 mm
Diameter	
Weight	1.282 kg

Packaging Dimensions

Packaging unit: 1	
Height	105 mm
Width	225 mm
Length	230 mm
Weight	1.446 kg

Article-no.: **G99204/76**

1090,-

4 004353 424427

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

MARTY

ALUMINIUM
SAND BLACK/MATT GOLD

Bulb Information

Model	Ceiling light 4-flame
Type of Lamp	
Socket	GU10
Power	5W
Lumen	350lm
Kelvin	3000K

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	G
Bulbs included	Yes
Bulbs exchangeable	Yes
Dimmable	No

LED✓

Dimensions

Height	121 mm
Width	220 mm
Length	220 mm
Diameter	
Weight	1.279 kg

Packaging Dimensions

Packaging unit: 1	
Height	112 mm
Width	230 mm
Length	223 mm
Weight	1.409 kg

Article-no.: **G99204/86**

1090,-

4 004353 424434

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

NIKKA

METAL/RATTAN
BLACK/NATURAL



Bulb Information

Model	Beams 2-flame
Type of Lamp	G45
Socket	E14
Power	28W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	200 mm
Width	360 mm
Length	155 mm
Diameter	
Weight	0.829 kg

Packaging Dimensions

Packaging unit: 1	
Height	215 mm
Width	380 mm
Length	200 mm
Weight	1.343 kg

Article-no.: **99615/76**

399,-

4 004353 402203

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

NIKKA

METAL/RATTAN
BLACK/NATURAL



Bulb Information

Model	Beams 4-flame
Type of Lamp	G45
Socket	E14
Power	28W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	200 mm
Width	720 mm
Length	155 mm
Diameter	
Weight	1.773 kg

Packaging Dimensions

Packaging unit: 1	
Height	215 mm
Width	740 mm
Length	200 mm
Weight	2.65 kg

Article-no.: **99616/76**

599,-

4 004353 402227

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

NORAH

METAL/BAMBOO
BLACK/NATURAL

Bulb Information

Model	Beams 3-flame
Type of Lamp	D45
Socket	E14
Power	28W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	II
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	220 mm
Width	710 mm
Length	150 mm
Diameter	
Weight	0.834 kg

Packaging Dimensions

Packaging unit: 1	
Height	160 mm
Width	710 mm
Length	145 mm
Weight	1.258 kg

Article-no.: **99739/76**

599,-

4 004353 409530

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

NORAH

METAL/BAMBOO
BLACK/NATURAL

Bulb Information

Model	Beams 4-flame
Type of Lamp	D45
Socket	E14
Power	28W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	II
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	220 mm
Width	905 mm
Length	150 mm
Diameter	
Weight	1.065 kg

Packaging Dimensions

Packaging unit: 1	
Height	210 mm
Width	500 mm
Length	160 mm
Weight	1.53 kg

Article-no.: **99740/76**

790,-

4 004353 409547

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

PRATO

METAL
SATIN NICKEL

Bulb Information

Model	Wall light 1-flame
Type of Lamp	LED
Socket	GU10
Power	10W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	99 mm
Width	
Length	
Diameter	80 mm
Weight	0.15 kg

Packaging Dimensions

Packaging unit: 24	
Height	86 mm
Width	86 mm
Length	86 mm
Weight	0.155 kg

Article-no.: **10120A68**

69,-

4 004353 440977

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

PRATO

METAL
SATIN NICKEL

Bulb Information

Model	Beams 2-flame
Type of Lamp	LED
Socket	GU10
Power	10W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	117 mm
Width	300 mm
Length	80 mm
Diameter	
Weight	0.25 kg

Packaging Dimensions

Packaging unit: 8	
Height	121 mm
Width	121 mm
Length	121 mm
Weight	0.364 kg

Article-no.: **10121A68**

129,-

4 004353 440984

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

PRATO

METAL
SATIN NICKEL

Bulb Information

Model	Beams 3-flame
Type of Lamp	LED
Socket	GU10
Power	10W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	117 mm
Width	442 mm
Length	80 mm
Diameter	
Weight	0.37 kg

Packaging Dimensions

Packaging unit: 8	
Height	144 mm
Width	144 mm
Length	144 mm
Weight	0.358 kg

Article-no.: **10122A68**

199,-

4 004353 440991

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

PRATO

METAL
SATIN NICKEL

Bulb Information

Model	Beams 4-flame
Type of Lamp	LED
Socket	GU10
Power	10W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	128 mm
Width	671 mm
Length	80 mm
Diameter	
Weight	0.51 kg

Packaging Dimensions

Packaging unit: 8	
Height	145 mm
Width	145 mm
Length	145 mm
Weight	0.51 kg

Article-no.: **10123A68**

249,-

4 004353 441004

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

SANTY

METAL/BAMBOO
BLACK/NATURAL

Bulb Information

Model	Beams 2-flame
Type of Lamp	D45
Socket	E14
Power	42W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	195 mm
Width	361 mm
Length	77 mm
Diameter	
Weight	0.576 kg

Packaging Dimensions

Packaging unit: 1	
Height	285 mm
Width	130 mm
Length	95 mm
Weight	0.696 kg

Article-no.: **99397/76**

249,-

4 004353 391040

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

SANTY

METAL/BAMBOO
BLACK/NATURAL

Bulb Information

Model	Beams 4-flame
Type of Lamp	D45
Socket	E14
Power	42W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	198 mm
Width	755 mm
Length	77 mm
Diameter	
Weight	0.888 kg

Packaging Dimensions

Packaging unit: 1	
Height	375 mm
Width	185 mm
Length	145 mm
Weight	1.096 kg

Article-no.: **99398/76**

490,-

4 004353 391057

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

SOFIA

METAL/GLASS
BRASS/ALABASTER GLASS

Bulb Information

Model	Beams 4-flame
Type of Lamp	D45
Socket	E14
Power	40W
Lumen	
Kelvin	

Dimensions

Height	130 mm
Width	700 mm
Length	175 mm
Diameter	
Weight	1.102 kg

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Packaging Dimensions

Packaging unit: 1	
Height	130 mm
Width	440 mm
Length	110 mm
Weight	1.257 kg

Article-no.: **55331/18**

339,-

4 004353 056307

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

WEALD

METAL/GLASS/WOOD
BLACK/SMOKED/WOOD

Bulb Information

Model	Wall light 1-flame
Type of Lamp	A55
Socket	E27
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

FSC

Dimensions

Height	200 mm
Width	110 mm
Length	200 mm
Diameter	
Weight	0.399 kg

Packaging Dimensions

Packaging unit: 1	
Height	145 mm
Width	240 mm
Length	135 mm
Weight	0.608 kg

Article-no.: **99837/93**

199,-

4 004353 413070

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

WEALD

METAL/GLASS/WOOD
BLACK/SMOKED/WOOD

Bulb Information

Model	Beams 2-flame
Type of Lamp	A55
Socket	E27
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

FSC

Dimensions

Height	230 mm
Width	335 mm
Length	110 mm
Diameter	
Weight	0.77 kg

Packaging Dimensions

Packaging unit: 1	
Height	150 mm
Width	375 mm
Length	220 mm
Weight	1.255 kg

Article-no.: **99838/93**

369,-

4 004353 413087

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

WEALD

METAL/GLASS/WOOD
BLACK/SMOKED/WOOD

Bulb Information

Model	Beams 4-flame
Type of Lamp	A55
Socket	E27
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

FSC

Dimensions

Height	230 mm
Width	730 mm
Length	110 mm
Diameter	
Weight	1.458 kg

Packaging Dimensions

Packaging unit: 1	
Height	165 mm
Width	555 mm
Length	250 mm
Weight	2.283 kg

Article-no.: **99839/93**

599,-

4 004353 413094

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

WHOLE

METAL/WOOD
BLACK/WOOD

Bulb Information

Model	Beams 2-flame
Type of Lamp	D45
Socket	E14
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	II
Voltage	230V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	200 mm
Width	368 mm
Length	140 mm
Diameter	
Weight	0.745 kg

Packaging Dimensions

Packaging unit: 1	
Height	290 mm
Width	180 mm
Length	170 mm
Weight	1.002 kg



Article-no.: **40113/76**

149,-

4 004353 378751

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

WHOLE

METAL/WOOD
BLACK/WOOD

Bulb Information

Model	Ceiling light 4-flame
Type of Lamp	D45
Socket	E14
Power	40W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	II
Voltage	230V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	200 mm
Width	380 mm
Length	380 mm
Diameter	
Weight	1.769 kg

Packaging Dimensions

Packaging unit: 1	
Height	290 mm
Width	290 mm
Length	190 mm
Weight	2.152 kg



Article-no.: **40135/76**

299,-

4 004353 378775

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

DayLight

Brilliant

WILEY

METAL/RATTAN
WOOD LIGHT/BLACK

Bulb Information

Model	Beams 4-flame
Type of Lamp	QD45
Socket	E14
Power	42W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	II
Voltage	230V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	210 mm
Width	670 mm
Length	130 mm
Diameter	
Weight	1.1 kg

Packaging Dimensions

Packaging unit: 1	
Height	200 mm
Width	615 mm
Length	140 mm
Weight	1.408 kg



Article-no.: **99487/06**

629,-

4 004353 394850

KONTAKT: Bc. Květoslava Dušková, tel.: 605 280 935, k.duskova@osvetleni-daylight.cz

Brilliant

WOODROW

METAL/BAMBOO
WOOD DARK/BLACK

Bulb Information

Model	Plate 3-flame
Type of Lamp	D45
Socket	E14
Power	42W
Lumen	
Kelvin	

Technical Data

IP Code	IP20
Protection class	I
Voltage	220-240V
Energy Efficiency Class	
Bulbs included	No
Bulbs exchangeable	Yes
Dimmable	No

Dimensions

Height	200 mm
Width	
Length	
Diameter	340 mm
Weight	1.304 kg

Packaging Dimensions

Packaging unit: 1	
Height	205 mm
Width	320 mm
Length	320 mm
Weight	1.671 kg

Article-no.: **99403/76**

399,-

4 004353 391309